


PROVIDENCE FIRE DEPARTMENT



2015 ANNUAL REPORT

STEVEN M. PARÉ
Commissioner of Public Safety
Acting Chief of Department

JORGE O. ELORZA
Mayor

STEVEN M. PARÉ
Commissioner of Public Safety
Acting Chief of Department



JORGE O. ELORZA
Mayor

Department of Public Safety, Fire Department
"Building Pride in Providence"

Welcome to the Providence Fire Department:

The Providence Fire Department is the second oldest continuously operating professional fire department in the country. The Department is a full-service fire and emergency medical service agency that provides basic and advanced life support, fire prevention, fire suppression, technical rescue, and hazardous material response. In addition, the Department conducts arson investigations and building plan reviews, enforces state and local fire and life safety codes, and administers public fire education programs.

The Providence Fire Department consists of 7 Advanced Life Support Rescue Companies, 14 Engine Companies, 8 Ladder Companies, and 1 Special Hazard Unit, all strategically located in Providence neighborhoods. The Department is equipped to respond to all fire, medical emergency, natural disaster, hazmat, and terroristic events that occur within Providence and its surrounding communities.

On behalf of the Providence Fire Department, I present to you the Department's 2015 Annual Report that highlights the Department's many accomplishments, fire and emergency medical calls for service, trainings, and fire prevention activities. This report is a testament to the men and women who proudly serve as Providence Firefighters.

I want to extend my sincere thanks and appreciation to every sworn and civilian member of the Providence Fire Department for their outstanding work in keeping the citizens of Rhode Island's capital city safe.

Sincerely yours,

A handwritten signature in black ink that reads "Steven M. Paré".

Steven M. Paré
Commissioner of Public Safety
Acting Chief of Department

Providence Fire Department 2015 Annual Report

Established in 1854, the Providence Fire Department is the second oldest continuously operating professional fire department in the country. The Department is a full-service fire and emergency medical service agency that provides basic and advanced life support, fire prevention, fire suppression, technical rescue, and hazardous material response. In addition, the Department conducts arson investigations and building plan reviews, enforces state and local fire and life safety codes, and administers public fire education programs.

Accomplishments for 2015

In 2015, the Providence Fire Department responded to 41,783 total calls for service. Of the total calls, 29,739 or 71.2% were emergency medical services related. The 29,739 calls are composed of 23,014 advanced life support and 6,725 basic life support calls for service. In addition, the Fire Prevention Bureau's Arson Squad conducted 268 fire investigations. Providence Firefighters answered all calls with professionalism, compassion, and true to our mission to protect life and property.

The following is a list of accomplishments that have been achieved through the dedication and hard work of all the members of the Providence Fire Department:

- Partnered with the Providence Center on an EMS Emergency Room Diversion Pilot Program.
- Continued expansion of the electronic patient care reporting and management system.
- Commended by Peter F. Neronha, the U.S. Attorney for the District of Rhode Island, for uncovering an "arson-for-profit" scheme where the arsonist set fire to a multi-family dwelling that was occupied by a family with five young children.
- Partnered with the Providence College School of Business to form a mid-level supervisory training pilot program.
- Conducted and completed inspections of all city hydrants in April and October.
- Added a new custom pumper (Engine 7) to the fleet.
- Formed a SWAT Medic Team in partnership with the Providence Police Rifle and Shotgun Team. The SWAT Medic Team was outfitted with specialized equipment and participated in several active shooter drills and trainings with the Rifle and Shotgun Team.

- Sent fire department representatives to the Annual National Association of SARA Title III Program Officials Training Workshop and Hazardous Materials Emergency Preparedness Grant Workshop in Portland, Maine.
- Participated in the Port of Providence Evacuation Exercise.
- Sent fire department representatives to a Complex Coordinated Attack Workshop at the Emergency Management Institute in Emmitsburg, Maryland.
- Awarded grant funding from the U.S. Department of Transportation to purchase three “Jaws of Life” kits that includes spreaders, cutters, and rams.
- Developed computerized promotional matrices.
- Completed department-wide fit testing for new SCBAs awarded under the Assistance to Firefighters Grant.
- Created a video library at the Department of Training.
- Hosted Marine Firefighter Incident Response Training I and II. The training focused on: operating in a marine environment, initial response assignments, tactical considerations, safety and incident management issues, and vessel construction.
- Participated in a career day for youngsters in the Providence After School Alliance Program.
- Certified Members as Assistant Deputy State Fire Marshals through the RI State Fire Marshal’s Office for the purpose of facilitating fire inspections and the building plan review process.
- Increased the hours of operation at the plan intake office to better serve and accommodate our customers.
- Sent three firefighters to the prestigious International Association of Arson Investigations Training Program to become certified Fire Investigation Technicians.

PROVIDENCE FIRE DEPARTMENT

TOTAL SERVICE IN 2015

COMPANY	RUNS	MINUTES	HOURS
ENGINE 2	2,749	49,793	829.88
ENGINE 3	4,719	72,362	1,206.03
ENGINE 4	1,289	25,762	429.37
ENGINE 5	1,232	26,715	445.25
ENGINE 6	2,319	47,051	784.18
ENGINE 7	3,353	64,154	1,069.23
ENGINE 8	4,032	60,577	1,009.62
ENGINE 9	2,229	41,793	696.55
ENGINE 10	2,967	47,438	790.63
ENGINE 11	2,097	38,800	646.67
ENGINE 12	3,850	61,489	1,024.82
ENGINE 13	2,279	40,800	680.00
ENGINE 14	3,114	52,891	881.52
ENGINE 15	3,448	61,821	1,030.35
SPECIAL HAZARDS 1	1,933	37,782	629.70
LADDER 1	2,096	35,206	586.77
LADDER 2	1,621	25,734	428.90
LADDER 3	1,229	22,382	373.03
LADDER 4	1,859	35,334	588.90
LADDER 5	1,319	27,091	451.52
LADDER 6	1,563	31,330	522.17
LADDER 7	1,153	22,358	372.63
LADDER 8	<u>1,228</u>	<u>26,740</u>	<u>445.67</u>
TOTALS	53,678	955,403	15,923.38

PROVIDENCE FIRE DEPARTMENT				
BOX ALARMS IN 2015				
COMPANY	FIRE	FALSE	OTHER	TOTAL
ENGINE 2	50	409	277	736
ENGINE 3	55	345	1,338	1,738
ENGINE 4	16	47	480	543
ENGINE 5	30	146	311	487
ENGINE 6	18	318	136	472
ENGINE 7	205	545	437	1,187
ENGINE 8	71	544	356	971
ENGINE 9	18	384	494	896
ENGINE 10	127	137	315	579
ENGINE 11	91	177	484	752
ENGINE 12	18	368	267	653
ENGINE 13	19	240	213	472
ENGINE 14	85	352	462	899
ENGINE 15	76	460	174	710
SPECIAL HAZARDS 1	31	18	51	100
LADDER 1	39	494	589	1,122
LADDER 2	87	237	384	708
LADDER 3	48	197	140	385
LADDER 4	149	497	482	1,128
LADDER 5	109	153	293	555
LADDER 6	92	171	383	646
LADDER 7	35	174	373	582
LADDER 8	33	203	325	561
TOTALS	1,502	6,616	8,764	16,882

PROVIDENCE FIRE DEPARTMENT				
NUMBER OF EMS RUNS IN 2015				
COMPANY	CARDIAC	MEDICAL	OTHER	TOTAL
ENGINE 2	245	1,010	219	1,474
ENGINE 3	186	1,713	655	2,554
ENGINE 4	128	405	169	702
ENGINE 5	26	278	115	419
ENGINE 6	130	827	389	1,346
ENGINE 7	167	1,133	192	1,492
ENGINE 8	303	1,820	291	2,414
ENGINE 9	59	672	76	807
ENGINE 10	213	1,285	184	1,682
ENGINE 11	113	719	254	1,086
ENGINE 12	413	1,257	645	2,315
ENGINE 13	87	580	579	1,246
ENGINE 14	170	920	360	1,450
ENGINE 15	153	1,609	325	2,087
SPECIAL HAZARDS 1	1	33	44	78
LADDER 1	13	159	107	279
LADDER 2	22	186	110	318
LADDER 3	21	215	88	324
LADDER 4	10	120	42	172
LADDER 5	27	116	80	223
LADDER 6	6	115	45	166
LADDER 7	25	126	92	243
LADDER 18	3	71	25	99
TOTALS	2,521	15,369	5,086	22,976

PROVIDENCE FIRE DEPARTMENT				
NUMBER OF FIRE RUNS IN 2015				
COMPANY	STRUCTURE	VEHICLE	OTHER	TOTAL
ENGINE 2	46	11	108	165
ENGINE 3	91	18	118	227
ENGINE 4	27	1	34	62
ENGINE 5	124	2	40	166
ENGINE 6	52	19	86	157
ENGINE 7	197	17	198	412
ENGINE 8	102	11	117	230
ENGINE 9	58	11	69	138
ENGINE 10	208	21	75	304
ENGINE 11	82	7	83	172
ENGINE 12	45	15	140	200
ENGINE 13	42	8	56	106
ENGINE 14	105	15	186	306
ENGINE 15	74	20	78	172
SPECIAL HAZARDS 1	168	15	140	323
LADDER 1	99	19	108	226
LADDER 2	92	21	126	239
LADDER 3	106	12	72	190
LADDER 4	185	15	121	321
LADDER 5	107	23	77	207
LADDER 6	105	27	137	269
LADDER 7	57	10	79	146
LADDER 8	69	14	92	175
TOTALS	2,241	332	2,340	4,913

PROVIDENCE FIRE DEPARTMENT				
PUMP TIME IN 2015				
COMPANY		TOTAL PUMP MINUTES		TOTAL HOURS
ENGINE 2		2,391		39.85
ENGINE 3		2,085		34.75
ENGINE 4		441		7.35
ENGINE 5		543		9.05
ENGINE 6		1,802		30.03
ENGINE 7		1,835		30.58
ENGINE 8		2,924		48.73
ENGINE 9		1,683		28.05
ENGINE 10		2,076		34.60
ENGINE 11		1,470		24.50
ENGINE 12		2,347		39.12
ENGINE 13		1,260		21.00
ENGINE 14		1,472		24.53
ENGINE 15		<u>1,153</u>		<u>19.22</u>
TOTALS		23,482		391.37

PROVIDENCE FIRE DEPARTMENT			
NUMBER OF FALSE ALARMS IN 2015			
COMPANY	MALICIOUS	OTHER	TOTAL
ENGINE 2	112	46	158
ENGINE 3	132	38	170
ENGINE 4	22	11	33
ENGINE 5	23	12	35
ENGINE 6	252	32	284
ENGINE 7	127	53	180
ENGINE 8	282	20	302
ENGINE 9	59	13	72
ENGINE 10	83	35	118
ENGINE 11	134	25	159
ENGINE 12	351	33	384
ENGINE 13	127	26	153
ENGINE 14	194	25	219
ENGINE 15	355	60	415
SPECIAL HAZARDS 1	13	4	17
LADDER 1	67	14	81
LADDER 2	85	13	98
LADDER 3	82	10	92
LADDER 4	66	221	287
LADDER 5	58	35	93
LADDER 6	82	10	92
LADDER 7	42	14	56
LADDER 8	29	12	41
TOTALS	2,777	762	3,539

PROVIDENCE FIRE DEPARTMENT			
NUMBER OF GOOD INTENT RUNS IN 2015			
COMPANY	SMOKE SCARE	OTHER	TOTALS
ENGINE 2	36	84	120
ENGINE 3	33	115	148
ENGINE 4	26	34	60
ENGINE 5	29	39	68
ENGINE 6	34	75	109
ENGINE 7	44	71	115
ENGINE 8	43	85	128
ENGINE 9	24	58	82
ENGINE 10	30	75	105
ENGINE 11	58	76	134
ENGINE 12	38	78	116
ENGINE 13	28	46	74
ENGINE 14	59	101	160
ENGINE 15	47	62	109
SPECIAL HAZARDS 1	85	184	269
LADDER 1	24	74	98
LADDER 2	75	47	122
LADDER 3	39	43	82
LADDER 4	51	29	80
LADDER 5	59	52	111
LADDER 6	53	25	78
LADDER 7	44	28	72
LADDER 8	43	34	77
TOTALS	1,002	1,515	2,517

PROVIDENCE FIRE DEPARTMENT			
NUMBER OF SPILL AND LEAK RUNS IN 2015			
COMPANY	SPILL AND LEAK RUNS	OTHER	TOTALS
ENGINE 2	9	6	15
ENGINE 3	13	6	19
ENGINE 4	6	3	9
ENGINE 5	8	3	11
ENGINE 6	17	16	33
ENGINE 7	22	6	28
ENGINE 8	12	17	29
ENGINE 9	12	4	16
ENGINE 10	14	10	24
ENGINE 11	5	7	12
ENGINE 12	37	16	53
ENGINE 13	10	3	13
ENGINE 14	7	4	11
ENGINE 15	23	12	35
SPECIAL HAZARDS 1	193	160	353
LADDER 1	20	13	33
LADDER 2	27	43	70
LADDER 3	34	38	72
LADDER 4	8	11	19
LADDER 5	17	31	48
LADDER 6	62	70	132
LADDER 7	28	42	70
LADDER 8	20	13	33
TOTALS	604	534	1,138

PROVIDENCE FIRE DEPARTMENT
NUMBER OF LADDERS USED BY FOOTAGE IN 2015

COMPANY	AERIAL	EXTENSION	STRAIGHT	FOLDING	ROOF	COMBO	TOTAL
ENGINE 2	0	100	0	643	10	0	753
ENGINE 3	0	24	0	18	0	0	42
ENGINE 4	0	28	0	16	16	0	60
ENGINE 5	0	0	0	337	0	0	337
ENGINE 6	0	144	0	110	56	0	310
ENGINE 7	0	0	0	50	14	0	64
ENGINE 8	0	107	0	40	0	0	147
ENGINE 9	0	24	0	14	36	0	74
ENGINE 10	0	28	0	60	0	0	88
ENGINE 11	0	0	0	26	48	0	74
ENGINE 12	0	24	0	156	128	0	308
ENGINE 13	0	0	0	10	16	0	26
ENGINE 14	0	0	0	-	30	0	30
ENGINE 15	0	0	0	24	28	0	52
SPECIAL HAZARDS 1	0	0	0	0	0	0	0
LADDER 1	2,595	288	118	224	64	14	3,303
LADDER 2	3,500	654	304	260	146	14	4,878
LADDER 3	3,202	167	92	227	84	70	3,842
LADDER 4	2,640	377	42	621	78	57	3,815
LADDER 5	8,387	387	228	170	133	10	9,315
LADDER 6	6,980	282	218	144	52	-	7,676
LADDER 7	1,960	189	106	228	104	38	2,625
LADDER 8	5,210	728	340	503	238	228	7,247
TOTALS	34,474	3,551	1,448	3,881	1,281	431	45,066

PROVIDENCE FIRE DEPARTMENT

OTHER EQUIPMENT USED IN 2015

COMPANY	SCBA	MASTER APPLIANCE	EXTINGUISHER	FOAM	OXYGEN	AED	GENERATOR	PORT PUMP	FIRST AID BAG	CO2 METER	SMOKE EJECTOR	SCENE LIGHT	JAWS	K12	Q VENT	MISC TOOLS	TOTAL
ENGINE 2	680	1	115	1	376	14	1	2	1,213	3	0	0	0	0	0	1,136	3,542
ENGINE 3	643	0	8	1	246	5	0	0	1,932	3	0	0	0	0	0	1,632	4,470
ENGINE 4	118	0	5	0	88	3	1	0	530	6	0	0	0	0	0	470	1,221
ENGINE 5	388	3	49	0	65	32	0	0	296	1	0	0	0	0	0	766	1,600
ENGINE 6	242	1	7	1	153	18	2	3	1,251	8	0	0	0	0	0	1,429	3,115
ENGINE 7	1,323	2	19	0	418	31	1	1	1,246	13	0	0	0	0	0	1,466	4,520
ENGINE 8	501	3	11	1	193	10	1	4	1,717	8	0	0	0	0	0	1,293	3,742
ENGINE 9	655	0	12	0	72	13	0	1	386	1	0	0	0	0	0	492	1,632
ENGINE 10	1,233	4	68	1	146	152	0	1	1,319	2	0	0	0	0	0	1,168	4,094
ENGINE 11	266	1	7	1	136	16	1	1	829	5	0	0	0	0	0	873	2,136
ENGINE 12	532	0	42	0	569	15	2	2	1,899	30	0	0	0	0	0	2,472	5,563
ENGINE 13	354	3	11	4	155	19	0	0	900	5	0	0	0	0	0	486	1,937
ENGINE 14	340	1	9	0	136	5	0	0	747	5	0	0	0	0	0	311	1,554
ENGINE 15	367	1	8	0	265	2	0	2	1,821	5	0	0	0	0	0	1,365	3,836
SPECIAL HAZARDS 1 (**)	754	0	0	0	0	0	0	0	0	486	0	0	21	19	0	508	1,788
LADDER 1	246	5	5	0	13	0	0	1	173	76	15	8	0	5	10	620	1,177
LADDER 2	693	4	37	0	62	0	2	3	167	100	27	5	0	13	15	384	1,512
LADDER 3	327	1	42	0	53	0	11	4	190	103	31	17	0	4	12	306	1,101
LADDER 4	798	2	85	0	37	0	6	1	114	58	15	227	1	13	12	860	2,229
LADDER 5	1,118	4	43	0	57	0	4	0	140	106	51	17	2	17	22	732	2,313
LADDER 6	768	4	48	0	18	0	3	3	64	153	22	8	0	15	14	492	1,612
LADDER 7	206	1	13	0	40	0	9	2	143	118	29	17	1	5	7	626	1,217
LADDER 8	1,047	7	111	0	14	0	6	1	75	69	46	24	0	15	12	499	1,926
TOTALS	13,599	48	755	10	3,312	335	50	32	17,152	1,364	236	323	25	106	104	20,386	57,837

(**) Special Hazards 1 deployed a thermal imaging camera at 161 incidents, conducted 6 water and 4 rope rescues, and performed 265 extractions.

**PROVIDENCE FIRE DEPARTMENT
NUMBER OF NON-FIRE RUNS IN 2015**

COMPANY	LOCK OUT/IN	WATER EMERGENCIES	ACCIDENTAL	DEFECTIVE	OTHER	TOTAL
ENGINE 2	11	38	380	128	156	713
ENGINE 3	44	59	533	260	590	1,486
ENGINE 4	8	14	188	88	60	358
ENGINE 5	3	15	250	113	120	501
ENGINE 6	5	21	139	55	110	330
ENGINE 7	51	76	398	280	169	974
ENGINE 8	10	35	436	183	149	813
ENGINE 9	21	36	415	284	292	1,048
ENGINE 10	10	33	289	203	69	604
ENGINE 11	4	18	222	88	114	446
ENGINE 12	25	43	312	210	48	638
ENGINE 13	4	30	194	108	298	634
ENGINE 14	8	38	435	197	162	840
ENGINE 15	16	31	236	133	125	541
SPECIAL HAZARDS 1	191	8	57	134	263	653
LADDER 1	72	42	416	220	527	1,277
LADDER 2	70	13	445	104	95	727
LADDER 3	56	16	171	113	70	426
LADDER 4	82	43	314	255	160	854
LADDER 5	66	27	233	135	132	593
LADDER 6	70	21	422	163	88	764
LADDER 7	70	20	210	139	95	534
LADDER 8	52	28	372	206	108	766
TOTALS	949	705	7,067	3,799	4,000	16,520

PROVIDENCE FIRE DEPARTMENT

HOSE USED BY FOOTAGE IN 2015

COMPANY	5 IN. HOSE	3 IN. HOSE	2.5 IN HOSE	1.75 IN. HOSE	.75 IN HOSE	TOTAL
ENGINE 2	3,285	1,300	400	12,825	2,385	20,195
ENGINE 3	2,665	310	403	19,650	2,000	25,028
ENGINE 4	0	0	0	1,950	1,775	3,725
ENGINE 5	1,600	600	0	3,350	775	6,325
ENGINE 6	3,550	250	700	9,490	2,720	16,710
ENGINE 7	4,750	1,250	600	27,750	9,150	43,500
ENGINE 8	3,825	1,500	1,250	14,600	3,100	24,275
ENGINE 9	1,100	600	350	24,150	4,700	30,900
ENGINE 10	8,250	1,500	1,200	39,800	6,050	56,800
ENGINE 11	5,183	1,000	550	7,500	1,700	15,933
ENGINE 12	2,000	300	200	16,750	9,125	28,375
ENGINE 13	2,075	750	200	10,350	2,650	16,025
ENGINE 14	6,085	1,000	600	11,780	3,425	22,890
ENGINE 15	850	0	150	9,050	5,350	15,400
SPECIAL HAZARDS 1	0	0	0	0	0	0
LADDER 1	0	0	0	0	0	0
LADDER 2	0	0	0	0	0	0
LADDER 3	0	0	0	0	0	0
LADDER 4	0	0	0	0	0	0
LADDER 5	0	0	0	0	0	0
LADDER 6	0	0	0	0	0	0
LADDER 7	0	0	0	0	0	0
LADDER 8	0	0	0	0	0	0
TOTALS	45,218	10,360	6,603	208,995	54,905	326,081

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
49793	2749

Reporting Engine Company

Engine 2

Annual Report for 2015

	Minutes	Runs
FIRE	4996	165
Structure	2709	46
Vehicle	394	11
Other	1893	108
EMS	29376	1474
Cardiac	5416	245
Medical Aid	20133	1010
Other	3827	219
HAZMAT	1149	15
Spill/Leak	723	9
Other	426	6
NON-FIRE	9857	713
Lockout/In	240	11
Water Emer	875	38
Accidental	4381	380
Defective	1940	128
Other	2421	156
GOOD INTENT	1545	120
Smoke Scare	475	36
Other	1070	84
FALSE	1443	158
Malicious	919	112
Other	524	46
RELOCATION	965	15

EQUIPMENT USED

Pump Minutes 2391

Nbr of Feet Used

Hose 5" 3285

Hose 3" 1300

Hose 2.5" 400

Hose 1.75" 12825

Hose .75" 2385

Nbr Used

Scba 680

Nbr of Times Used

Master Appl 1

Extinguisher 115

Foam 1

Oxygen 376

AED 14

Generator 1

Port Pump 2

FirstAid Bag 1213

CO2 Meter 3

Misc Tools 1136

Nbr of Feet Used

Ldr Extension 100

Ldr Roof 10

Ldr Folding 643

Box Type

Fire 50

False 409

Other 277

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
72362	4719

Reporting Engine Company

Engine 3

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	9155	227
Structure	6623	91
Vehicle	596	18
Other	1936	118
EMS	39877	2554
Cardiac	3214	186
Medical Aid	28038	1713
Other	8625	655
HAZMAT	546	19
Spill/Leak	392	13
Other	154	6
NON-FIRE	19192	1486
Lockout/In	879	44
Water Emer	1554	59
Accidental	5682	533
Defective	3601	260
Other	7476	590
GOOD INTENT	1568	148
Smoke Scare	359	33
Other	1209	115
FALSE	1285	170
Malicious	909	132
Other	376	38
RELOCATION	91	7

EQUIPMENT USED

Pump Minutes 2085

Nbr of Feet Used

Hose 5" 2665

Hose 3" 310

Hose 2.5" 403

Hose 1.75" 19650

Hose .75" 2000

Nbr Used

Scba 643

Nbr of Times Used

Master Appl 0

Extinguisher 8

Foam 1

Oxygen 246

AED 5

Generator 0

Port Pump 0

FirstAid Bag 1932

CO2 Meter 3

Misc Tools 1632

Nbr of Feet Used

Ldr Extension 24

Ldr Roof 0

Ldr Folding 18

Box Type

Fire 55

False 345

Other 1338

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
25762	1289

Reporting Engine Company

Engine 4

Annual Report for 2015

	Minutes	Runs
FIRE	2425	62
Structure	1719	27
Vehicle	36	1
Other	670	34
EMS	16629	702
Cardiac	3468	128
Medical Aid	9664	405
Other	3497	169
HAZMAT	435	9
Spill/Leak	132	6
Other	303	3
NON-FIRE	4678	358
Lockout/In	187	8
Water Emer	358	14
Accidental	2020	188
Defective	1228	88
Other	885	60
GOOD INTENT	1004	60
Smoke Scare	403	26
Other	601	34
FALSE	243	33
Malicious	156	22
Other	87	11
RELOCATION	0	0

EQUIPMENT USED

Pump Minutes 441

Nbr of Feet Used

Hose 5" 0

Hose 3" 0

Hose 2.5" 0

Hose 1.75" 1950

Hose .75" 1775

Nbr Used

Scba 118

Nbr of Times Used

Master Appl 0

Extinguisher 5

Foam 0

Oxygen 88

AED 3

Generator 1

Port Pump 0

FirstAid Bag 530

CO2 Meter 6

Misc Tools 470

Nbr of Feet Used

Ldr Extension 28

Ldr Roof 16

Ldr Folding 16

Box Type

Fire 16

False 47

Other 480

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
26715	1232

Reporting Engine Company

Engine 5

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	9058	166
Structure	7913	124
Vehicle	131	2
Other	1014	40
EMS	9232	419
Cardiac	662	26
Medical Aid	6178	278
Other	2392	115
HAZMAT	372	11
Spill/Leak	239	8
Other	133	3
NON-FIRE	6543	501
Lockout/In	60	3
Water Emer	294	15
Accidental	2664	250
Defective	1689	113
Other	1836	120
GOOD INTENT	1009	68
Smoke Scare	328	29
Other	681	39
FALSE	298	35
Malicious	190	23
Other	108	12
RELOCATION	8	2

EQUIPMENT USED

Pump Minutes	543
Nbr of Feet Used	
Hose 5"	1600
Hose 3"	600
Hose 2.5"	0
Hose 1.75"	3350
Hose .75"	775
Nbr Used	
Scba	388
Nbr of Times Used	
Master Appl	3
Extinguisher	49
Foam	0
Oxygen	65
AED	32
Generator	0
Port Pump	0
FirstAid Bag	296
CO2 Meter	1
Misc Tools	766
Nbr of Feet Used	
Ldr Extension	0
Ldr Roof	0
Ldr Folding	337
Box Type	
Fire	30
False	146
Other	311

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
47051	2319

Reporting Engine Company

Engine 6

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	6330	157
Structure	4023	52
Vehicle	816	19
Other	1491	86
EMS	29255	1346
Cardiac	3580	130
Medical Aid	17796	827
Other	7879	389
HAZMAT	1266	33
Spill/Leak	550	17
Other	716	16
NON-FIRE	4992	330
Lockout/In	83	5
Water Emer	588	21
Accidental	1642	139
Defective	1027	55
Other	1652	110
GOOD INTENT	1708	109
Smoke Scare	495	34
Other	1213	75
FALSE	2700	284
Malicious	2272	252
Other	428	32
RELOCATION	460	3

EQUIPMENT USED

Pump Minutes 1802

Nbr of Feet Used

Hose 5" 3550

Hose 3" 250

Hose 2.5" 700

Hose 1.75" 9490

Hose .75" 2720

Nbr Used

Scba 242

Nbr of Times Used

Master Appl 1

Extinguisher 7

Foam 1

Oxygen 153

AED 18

Generator 2

Port Pump 3

FirstAid Bag 1251

CO2 Meter 8

Misc Tools 1429

Nbr of Feet Used

Ldr Extension 144

Ldr Roof 56

Ldr Folding 110

Box Type

Fire 18

False 318

Other 136

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
64154	3353

Reporting Engine Company

Engine 7

Annual Report for 2015

	Minutes	Runs
FIRE	12313	412
Structure	7084	197
Vehicle	525	17
Other	4704	198
EMS	29372	1492
Cardiac	3353	167
Medical Aid	22600	1133
Other	3419	192
HAZMAT	887	28
Spill/Leak	727	22
Other	160	6
NON-FIRE	14171	974
Lockout/In	1044	51
Water Emer	1800	76
Accidental	4557	398
Defective	4059	280
Other	2711	169
GOOD INTENT	1457	115
Smoke Scare	610	44
Other	847	71
FALSE	1853	180
Malicious	1280	127
Other	573	53
RELOCATION	3605	35

EQUIPMENT USED

Pump Minutes 1835

Nbr of Feet Used

Hose 5" 4750

Hose 3" 1250

Hose 2.5" 600

Hose 1.75" 27750

Hose .75" 9150

Nbr Used

Scba 1323

Nbr of Times Used

Master Appl 2

Extinguisher 19

Foam 0

Oxygen 418

AED 31

Generator 1

Port Pump 1

FirstAid Bag 1246

CO2 Meter 13

Misc Tools 1466

Nbr of Feet Used

Ldr Extension 0

Ldr Roof 14

Ldr Folding 50

Box Type

Fire 205

False 545

Other 437

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
60577	4032

Reporting Engine Company

Engine 8

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	8120	230
Structure	5828	102
Vehicle	449	11
Other	1843	117
EMS	38111	2414
Cardiac	5571	303
Medical Aid	28639	1820
Other	3901	291
HAZMAT	1041	29
Spill/Leak	312	12
Other	729	17
NON-FIRE	9175	813
Lockout/In	131	10
Water Emer	846	35
Accidental	3884	436
Defective	2635	183
Other	1679	149
GOOD INTENT	1502	128
Smoke Scare	491	43
Other	1011	85
FALSE	1956	302
Malicious	1590	282
Other	366	20
RELOCATION	200	1

EQUIPMENT USED

Pump Minutes 2924

Nbr of Feet Used

Hose 5" 3825

Hose 3" 1500

Hose 2.5" 1250

Hose 1.75" 14600

Hose .75" 3100

Nbr Used

Scba 501

Nbr of Times Used

Master Appl 3

Extinguisher 11

Foam 1

Oxygen 193

AED 10

Generator 1

Port Pump 4

FirstAid Bag 1717

CO2 Meter 8

Misc Tools 1293

Nbr of Feet Used

Ldr Extension 107

Ldr Roof 0

Ldr Folding 40

Box Type

Fire 71

False 544

Other 356

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
41793	2229

Reporting Engine Company

Engine 9

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	6910	138
Structure	4380	58
Vehicle	440	11
Other	2090	69
EMS	17073	807
Cardiac	1563	59
Medical Aid	14022	672
Other	1488	76
HAZMAT	546	16
Spill/Leak	403	12
Other	143	4
NON-FIRE	14758	1048
Lockout/In	452	21
Water Emer	885	36
Accidental	4776	415
Defective	4176	284
Other	4469	292
GOOD INTENT	1292	82
Smoke Scare	396	24
Other	896	58
FALSE	739	72
Malicious	608	59
Other	131	13
RELOCATION	69	1

EQUIPMENT USED

Pump Minutes 1683

Nbr of Feet Used

Hose 5" 1100

Hose 3" 600

Hose 2.5" 350

Hose 1.75" 24150

Hose .75" 4700

Nbr Used

Scba 655

Nbr of Times Used

Master Appl 0

Extinguisher 12

Foam 0

Oxygen 72

AED 13

Generator 0

Port Pump 1

FirstAid Bag 386

CO2 Meter 1

Misc Tools 492

Nbr of Feet Used

Ldr Extension 24

Ldr Roof 36

Ldr Folding 14

Box Type

Fire 18

False 384

Other 494

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
47438	2967

Reporting Engine Company

Engine 10

Annual Report for 2015

	Minutes	Runs
FIRE	8500	304
Structure	6495	208
Vehicle	683	21
Other	1322	75
EMS	28101	1682
Cardiac	4559	213
Medical Aid	21076	1285
Other	2466	184
HAZMAT	840	24
Spill/Leak	579	14
Other	261	10
NON-FIRE	7111	604
Lockout/In	146	10
Water Emer	575	33
Accidental	2856	289
Defective	2497	203
Other	1037	69
GOOD INTENT	1200	105
Smoke Scare	360	30
Other	840	75
FALSE	1024	118
Malicious	722	83
Other	302	35
RELOCATION	65	1

EQUIPMENT USED

Pump Minutes 2076

Nbr of Feet Used

Hose 5" 8250

Hose 3" 1500

Hose 2.5" 1200

Hose 1.75" 39800

Hose .75" 6050

Nbr Used

Scba 1233

Nbr of Times Used

Master Appl 4

Extinguisher 68

Foam 1

Oxygen 146

AED 152

Generator 0

Port Pump 1

FirstAid Bag 1319

CO2 Meter 2

Misc Tools 1168

Nbr of Feet Used

Ldr Extension 28

Ldr Roof 0

Ldr Folding 60

Box Type

Fire 127

False 137

Other 315

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
38800	2097

Reporting Engine Company

Engine 11

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	6488	172
Structure	4771	82
Vehicle	171	7
Other	1546	83
EMS	21713	1086
Cardiac	2961	113
Medical Aid	13818	719
Other	4934	254
HAZMAT	351	12
Spill/Leak	139	5
Other	212	7
NON-FIRE	6001	446
Lockout/In	42	4
Water Emer	386	18
Accidental	2388	222
Defective	1331	88
Other	1854	114
GOOD INTENT	1926	134
Smoke Scare	751	58
Other	1175	76
FALSE	1165	159
Malicious	920	134
Other	245	25
RELOCATION	635	5

EQUIPMENT USED

Pump Minutes 1470

Nbr of Feet Used

Hose 5" 5183

Hose 3" 1000

Hose 2.5" 550

Hose 1.75" 7500

Hose .75" 1700

Nbr Used

Scba 266

Nbr of Times Used

Master Appl 0

Extinguisher 7

Foam 1

Oxygen 136

AED 16

Generator 1

Port Pump 1

FirstAid Bag 829

CO2 Meter 5

Misc Tools 873

Nbr of Feet Used

Ldr Extension 0

Ldr Roof 48

Ldr Folding 26

Box Type

Fire 91

False 177

Other 484

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
61489	3850

Reporting Engine Company

Engine 12

Annual Report for 2015

	Minutes	Runs
FIRE	5432	200
Structure	2699	45
Vehicle	531	15
Other	2202	140
EMS	41070	2315
Cardiac	9401	413
Medical Aid	21892	1257
Other	9777	645
HAZMAT	1527	53
Spill/Leak	1201	37
Other	326	16
NON-FIRE	8369	638
Lockout/In	378	25
Water Emer	860	43
Accidental	3408	312
Defective	3040	210
Other	683	48
GOOD INTENT	1553	116
Smoke Scare	507	38
Other	1046	78
FALSE	2833	384
Malicious	2446	351
Other	387	33
RELOCATION	46	1

EQUIPMENT USED

Pump Minutes 2347

Nbr of Feet Used

Hose 5" 2000

Hose 3" 300

Hose 2.5" 200

Hose 1.75" 16750

Hose .75" 9125

Nbr Used

Scba 532

Nbr of Times Used

Master Appl 0

Extinguisher 42

Foam 0

Oxygen 569

AED 15

Generator 2

Port Pump 2

FirstAid Bag 1899

CO2 Meter 30

Misc Tools 2472

Nbr of Feet Used

Ldr Extension 24

Ldr Roof 128

Ldr Folding 156

Box Type

Fire 18

False 368

Other 267

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
40800	2279

Reporting Engine Company

Engine 13

Annual Report for 2015

	Minutes	Runs
FIRE	3822	106
Structure	2108	42
Vehicle	421	8
Other	1293	56
EMS	23921	1246
Cardiac	1980	87
Medical Aid	11856	580
Other	10085	579
HAZMAT	920	13
Spill/Leak	600	10
Other	320	3
NON-FIRE	9614	634
Lockout/In	69	4
Water Emer	684	30
Accidental	2135	194
Defective	1535	108
Other	5191	298
GOOD INTENT	817	74
Smoke Scare	310	28
Other	507	46
FALSE	1353	153
Malicious	1026	127
Other	327	26
RELOCATION	58	6

EQUIPMENT USED

Pump Minutes 1260

Nbr of Feet Used

Hose 5" 2075

Hose 3" 750

Hose 2.5" 200

Hose 1.75" 10350

Hose .75" 2650

Nbr Used

Scba 354

Nbr of Times Used

Master Appl 3

Extinguisher 11

Foam 4

Oxygen 155

AED 19

Generator 0

Port Pump 0

FirstAid Bag 900

CO2 Meter 5

Misc Tools 486

Nbr of Feet Used

Ldr Extension 0

Ldr Roof 16

Ldr Folding 10

Box Type

Fire 19

False 240

Other 213

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
52891	3114

Reporting Engine Company

Engine 14

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	9029	306
Structure	6015	105
Vehicle	383	15
Other	2631	186
EMS	25145	1450
Cardiac	3190	170
Medical Aid	16181	920
Other	5774	360
HAZMAT	481	11
Spill/Leak	230	7
Other	251	4
NON-FIRE	12636	840
Lockout/In	200	8
Water Emer	985	38
Accidental	6407	435
Defective	2595	197
Other	2449	162
GOOD INTENT	2073	160
Smoke Scare	695	59
Other	1378	101
FALSE	2688	219
Malicious	1353	194
Other	1335	25
RELOCATION	97	7

EQUIPMENT USED

Pump Minutes 1472

Nbr of Feet Used

Hose 5" 6085

Hose 3" 1000

Hose 2.5" 600

Hose 1.75" 11780

Hose .75" 3425

Nbr Used

Scba 340

Nbr of Times Used

Master Appl 1

Extinguisher 9

Foam 0

Oxygen 136

AED 5

Generator 0

Port Pump 0

FirstAid Bag 747

CO2 Meter 5

Misc Tools 311

Nbr of Feet Used

Ldr Extension 0

Ldr Roof 30

Ldr Folding 0

Box Type

Fire 85

False 352

Other 462

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
61821	3448

Reporting Engine Company

Engine 15

Annual Report for 2015

	<u>Minutes</u>	<u>Runs</u>
FIRE	5428	172
Structure	3652	74
Vehicle	578	20
Other	1198	78
EMS	42259	2087
Cardiac	3733	153
Medical Aid	33293	1609
Other	5233	325
HAZMAT	1518	35
Spill/Leak	859	23
Other	659	12
NON-FIRE	7949	541
Lockout/In	288	16
Water Emer	880	31
Accidental	2413	236
Defective	2182	133
Other	2186	125
GOOD INTENT	1373	109
Smoke Scare	612	47
Other	761	62
FALSE	2520	415
Malicious	1974	355
Other	546	60
RELOCATION	389	5

EQUIPMENT USED

Pump Minutes 1153

Nbr of Feet Used

Hose 5" 850

Hose 3" 0

Hose 2.5" 150

Hose 1.75" 9050

Hose .75" 5350

Nbr Used

Scba 367

Nbr of Times Used

Master Appl 1

Extinguisher 8

Foam 0

Oxygen 265

AED 2

Generator 0

Port Pump 2

FirstAid Bag 1821

CO2 Meter 5

Misc Tools 1365

Nbr of Feet Used

Ldr Extension 0

Ldr Roof 28

Ldr Folding 24

Box Type

Fire 76

False 460

Other 174

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Company

SH1

ANNUAL TOTALS	
Service Time Minutes	Runs
37782	1933

Annual Report for **2015**

	<u>Minutes</u>	<u>Runs</u>
FIRE	11017	323
Structure	9025	168
Vehicle	251	15
Other	1741	140
EMS	1323	78
Cardiac	30	1
Medical Aid	517	33
Other	776	44
HAZMAT	8907	353
Spill/Leak	5429	193
Other	3478	160
NON-FIRE	11189	653
Lockout/In	3256	191
Water Emer	250	8
Accidental	702	57
Defective	2206	134
Other	4775	263
GOOD INTENT	3684	269
Smoke Scare	975	85
Other	2709	184
FALSE	103	17
Malicious	77	13
Other	26	4
RELOCATIONS	0	0

Air Bags	4
Air Cart	4
Air Tools	7
Computer	1
Confined Space	1
Cribbing	17
Hose	0
Hot Stick	10
Ram	5
Jaws	21
Ladders	7
Phd Meter	23
Other Gas Meter	464
Plugging Mat'ls	12
Rope Rescue	4
Saws	19
Stokes	2
TI Camera	161
Hand Tools	420
Power Tools	28
Torch/Slice Pak	0
Water Rescue	6
Box Type	
Fire	31
False	18
Other	51

Extractions

Vehicle	55
Elevator	197
Other	13

Nbr of People Extracted

Vehicle	55
Elevator	407
Other	9

SCBA INFO

Used	718
Changed	36

CO Runs	305
Gas Runs	234

Auto Lockouts
60

SPEEDI DRI

Bags Used	75
------------------	----

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 1

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
35206	2096

	Minutes	Runs
FIRE	9214	226
Structure	7141	99
Vehicle	451	19
Other	1622	108
EMS	4957	279
Cardiac	247	13
Medical Aid	2876	159
Other	1834	107
HAZMAT	1204	33
Spill/Leak	917	20
Other	287	13
NON-FIRE	17230	1277
Lockout/In	1354	72
Water Emer	1220	42
Accidental	4838	416
Defective	2931	220
Other	6887	527
GOOD INTENT	1264	98
Smoke Scare	300	24
Other	964	74
FALSE	800	81
Malicious	648	67
Other	152	14
RELOCATIONS	20	7

EQUIPMENT USED

Number of Feet Used

Aerial	2595
Extension	288
Straight	118
Roof	64
Folding	224
Combination	14

Number Used

Scba	246
------	-----

Number of Times Used

LadderPipe	5
Extinguisher	5
Foam	0
Oxygen	13
Generator	0
Smoke Ejt	15
Port Pump	1
Scene Light	8
Jaws	0
K12	5
Qvent	10
FirstAid Bag	173
CO2 Meter	76
Misc Tools	620

Lockout/in Type

Building	26
Auto	7
Elevator	34

Box Type

Fire	39
False	494
Other	589

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 2

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
25734	1621

	Minutes	Runs
FIRE	8214	239
Structure	6080	92
Vehicle	452	21
Other	1682	126
EMS	5256	318
Cardiac	541	22
Medical Aid	3047	186
Other	1668	110
HAZMAT	1704	70
Spill/Leak	730	27
Other	974	43
NON-FIRE	8110	727
Lockout/In	944	70
Water Emer	246	13
Accidental	3878	445
Defective	1354	104
Other	1688	95
GOOD INTENT	1526	122
Smoke Scare	766	75
Other	760	47
FALSE	700	98
Malicious	597	85
Other	103	13
RELOCATIONS	46	1

EQUIPMENT USED

Number of Feet Used

Aerial	3500
Extension	654
Straight	304
Roof	146
Folding	260
Combination	14

Number Used

Scba	693
------	-----

Number of Times Used

LadderPipe	4
Extinguisher	37
Foam	0
Oxygen	62
Generator	2
Smoke Ejt	27
Port Pump	3
Scene Light	5
Jaws	0
K12	13
Qvent	15
FirstAid Bag	167
CO2 Meter	100
Misc Tools	384

Lockout/in Type

Building	39
Auto	17
Elevator	6

Box Type

Fire	87
False	237
Other	384

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 3

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
22382	1229

	Minutes	Runs
FIRE	5402	190
Structure	4163	106
Vehicle	223	12
Other	1016	72
EMS	5926	324
Cardiac	583	21
Medical Aid	4041	215
Other	1302	88
HAZMAT	2115	72
Spill/Leak	1144	34
Other	971	38
NON-FIRE	6676	426
Lockout/In	863	56
Water Emer	705	16
Accidental	1927	171
Defective	1927	113
Other	1254	70
GOOD INTENT	1113	82
Smoke Scare	434	39
Other	679	43
FALSE	763	92
Malicious	682	82
Other	81	10
RELOCATIONS	172	2

EQUIPMENT USED

	Number of Feet Used
Aerial	3202
Extension	167
Straight	92
Roof	84
Folding	227
Combination	70

	Number Used
Scba	327

	Number of Times Used
LadderPipe	1
Extinguisher	42
Foam	0
Oxygen	53
Generator	11
Smoke Ejt	31
Port Pump	4
Scene Light	17
Jaws	0
K12	4
Qvent	12
FirstAid Bag	190
CO2 Meter	103
Misc Tools	306

Lockout/in Type	
Building	18
Auto	5
Elevator	12

Box Type	
Fire	48
False	197
Other	140

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 4

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
35334	1859

	Minutes	Runs
FIRE	9480	321
Structure	7395	185
Vehicle	436	15
Other	1649	121
EMS	3052	172
Cardiac	233	10
Medical Aid	2153	120
Other	666	42
HAZMAT	616	19
Spill/Leak	336	8
Other	280	11
NON-FIRE	12761	854
Lockout/In	1825	82
Water Emer	1142	43
Accidental	3589	314
Defective	3972	255
Other	2233	160
GOOD INTENT	1165	80
Smoke Scare	732	51
Other	433	29
FALSE	3305	287
Malicious	685	66
Other	2620	221
RELOCATIONS	4709	51

EQUIPMENT USED

	Number of Feet Used
Aerial	2640
Extension	377
Straight	42
Roof	78
Folding	621
Combination	57

	Number Used
Scba	798

	Number of Times Used
LadderPipe	2
Extinguisher	85
Foam	0
Oxygen	37
Generator	6
Smoke Ejt	15
Port Pump	1
Scene Light	227
Jaws	1
K12	13
Qvent	12
FirstAid Bag	114
CO2 Meter	58
Misc Tools	860

Lockout/in Type

Building	9
Auto	6
Elevator	58

Box Type

Fire	149
False	497
Other	482

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 5

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
27091	1319

	Minutes	Runs
FIRE	8682	207
Structure	6070	107
Vehicle	698	23
Other	1914	77
EMS	4170	223
Cardiac	597	27
Medical Aid	2118	116
Other	1455	80
HAZMAT	1392	48
Spill/Leak	582	17
Other	810	31
NON-FIRE	9610	593
Lockout/In	1125	66
Water Emer	967	27
Accidental	2957	233
Defective	2027	135
Other	2534	132
GOOD INTENT	1706	111
Smoke Scare	833	59
Other	873	52
FALSE	1084	93
Malicious	618	58
Other	466	35
RELOCATIONS	252	2

EQUIPMENT USED

Number of Feet Used

Aerial	8387
Extension	387
Straight	228
Roof	133
Folding	170
Combination	10

Number Used

Scba	1118
------	------

Number of Times Used

LadderPipe	4
Extinguisher	43
Foam	0
Oxygen	57
Generator	4
Smoke Ejt	51
Port Pump	0
Scene Light	17
Jaws	2
K12	17
Qvent	22
FirstAid Bag	140
CO2 Meter	106
Misc Tools	732

Lockout/in Type

Building	32
Auto	16
Elevator	6

Box Type

Fire	109
False	153
Other	293

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 6

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
31330	1563

	Minutes	Runs
FIRE	9530	269
Structure	5374	105
Vehicle	472	27
Other	3684	137
EMS	3104	166
Cardiac	130	6
Medical Aid	2086	115
Other	888	45
HAZMAT	3197	132
Spill/Leak	1753	62
Other	1444	70
NON-FIRE	12791	764
Lockout/In	1321	70
Water Emer	933	21
Accidental	6396	422
Defective	2466	163
Other	1675	88
GOOD INTENT	1260	78
Smoke Scare	795	53
Other	465	25
FALSE	759	92
Malicious	647	82
Other	112	10
RELOCATIONS	419	6

EQUIPMENT USED

Number of Feet Used

Aerial	6980
Extension	282
Straight	218
Roof	52
Folding	144
Combination	0

Number Used

Scba	768
------	-----

Number of Times Used

LadderPipe	4
Extinguisher	48
Foam	0
Oxygen	18
Generator	3
Smoke Ejt	22
Port Pump	3
Scene Light	8
Jaws	0
K12	15
Qvent	14
FirstAid Bag	64
CO2 Meter	153
Misc Tools	492

Lockout/in Type

Building	39
Auto	11
Elevator	5

Box Type

Fire	92
False	171
Other	383

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 7

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
22358	1153

	<u>Minutes</u>	<u>Runs</u>
FIRE	4482	146
Structure	3125	57
Vehicle	233	10
Other	1124	79
EMS	4889	243
Cardiac	700	25
Medical Aid	2451	126
Other	1738	92
HAZMAT	2500	70
Spill/Leak	1047	28
Other	1453	42
NON-FIRE	7892	534
Lockout/In	1232	70
Water Emer	739	20
Accidental	2332	210
Defective	1821	139
Other	1768	95
GOOD INTENT	989	72
Smoke Scare	567	44
Other	422	28
FALSE	550	56
Malicious	400	42
Other	150	14
RELOCATIONS	994	13

EQUIPMENT USED

Number of Feet Used

Aerial	1950
Extension	189
Straight	106
Roof	104
Folding	228
Combination	38

Number Used

Scba	206
------	-----

Number of Times Used

LadderPipe	1
Extinguisher	13
Foam	0
Oxygen	40
Generator	9
Smoke Ejt	29
Port Pump	2
Scene Light	17
Jaws	1
K12	5
Qvent	7
FirstAid Bag	143
CO2 Meter	118
Misc Tools	626

Lockout/in Type

Building	22
Auto	5
Elevator	13

Box Type

Fire	35
False	174
Other	373

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 8

Annual Report for 2015

ANNUAL TOTALS	
Service Time Minutes	Runs
26740	1228

	Minutes	Runs
FIRE	5496	175
Structure	3597	69
Vehicle	323	14
Other	1576	92
EMS	2263	99
Cardiac	99	3
Medical Aid	1624	71
Other	540	25
HAZMAT	991	33
Spill/Leak	652	20
Other	339	13
NON-FIRE	15823	766
Lockout/In	1013	52
Water Emer	1869	28
Accidental	6711	372
Defective	4052	206
Other	2178	108
GOOD INTENT	1418	77
Smoke Scare	789	43
Other	629	34
FALSE	553	41
Malicious	389	29
Other	164	12
RELOCATIONS	25	1

EQUIPMENT USED

Number of Feet Used

Aerial	5210
Extension	728
Straight	340
Roof	238
Folding	503
Combination	228

Number Used

Scba	1047
------	------

Number of Times Used

LadderPipe	7
Extinguisher	111
Foam	0
Oxygen	14
Generator	6
Smoke Ejt	46
Port Pump	1
Scene Light	24
Jaws	0
K12	15
Qvent	12
FirstAid Bag	75
CO2 Meter	69
Misc Tools	499


Lockout/in Type

Building	17
Auto	5
Elevator	31

Box Type

Fire	33
False	203
Other	325

PROVIDENCE FIRE DEPARTMENT
DIVISION OF EMS



2015 ANNUAL REPORT

STEVEN M. PARÉ
Commissioner of Public Safety
Acting Chief of Department

JORGE O. ELORZA
Mayor

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Runs by Provider Impression

Provider Impression	# of Times	% of Times
Abdominal Aortic Aneurysm	5	0.02%
Abdominal Pain/Problems	2,039	7.16%
Abuse / Neglect	18	0.06%
Airway Obstruction	20	0.07%
Allergic Reaction	163	0.57%
Altered Level of Consciousness	1,053	3.70%
Altered Neuro-Med. GCS<15 (780.01/293.1)	47	0.16%
Amputation	4	0.01%
Anaphylaxis	32	0.11%
Anemia	2	0.01%
Anxiety Reaction/Emotional Upset	876	3.08%
Apnea	3	0.01%
Apneic Episode	2	0.01%
Apparent Life-Threatening Event (ALTE)	5	0.02%
Appendicitis	1	0.00%
ARDS (Acute respiratory distress syndrome)	8	0.03%
Asphyxia	2	0.01%
Aspiration	6	0.02%
Asthma	320	1.12%
Avulsion	21	0.07%
Back Pain (Non-Traumatic)	495	1.74%
Behavioral/Psychiatric Disorder	862	3.03%
Bladder Exstrophy	2	0.01%
Blood emesis/vomit	25	0.09%
Blood feces	24	0.08%
Bowel changes alone	4	0.01%
Bowel Obstruction	11	0.04%
Bradycardia	18	0.06%
Bronchiolitis	28	0.10%

**PROVIDENCE FIRE DEPARTMENT
2015 EMS DIVISION**

Burn	30	0.11%
Burns - Thermal	26	0.09%
Burns – Chemical	4	0.01%
Cancer	13	0.05%
Cardiac - Chest Pain	690	2.42%
Cardiac - Supraventricular Tachycardia	41	0.14%
Cardiac - Symptomatic Bradycardia	8	0.03%
Cardiac - Symptomatic PVCs	2	0.01%
Cardiac - Ventricular Fibrillation	9	0.03%
Cardiac - Ventricular Tachycardia (With Pulse)	1	0.00%
Cardiac - Ventricular Tachycardia (Without Pulse)	2	0.01%
Cardiac Arrest	62	0.22%
Cardiac Arrest - Asystole	50	0.18%
Cardiac Arrest - Pulseless Electrical Activity	13	0.05%
Cardiac Rhythm Disturbance	77	0.27%
Cardiomyopathy	1	0.00%
Chest Pain/Discomfort	1,001	3.51%
CHF (Congestive Heart Failure)	76	0.27%
Chronic Lung Disease	27	0.09%
COPD (Emphysema/Chronic Bronchitis)	225	0.79%
Croup	8	0.03%
Crush Injury	6	0.02%
Cyanosis	3	0.01%
Dehydration	80	0.28%
Diabetic Hyperglycemia	154	0.54%
Diabetic Symptoms (Hypoglycemia)	195	0.68%
Diarrhea	62	0.22%
Dislocation	59	0.21%
Displaced Fracture: Closed	32	0.11%
Displaced Fracture: Open	6	0.02%
Dizziness	452	1.59%
DKA (Diabetic ketoacidosis)	13	0.05%
Electrocution	3	0.01%
Electrolyte Imbalance	2	0.01%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Environment - Bite/Sting/Cold/Hot	11	0.04%
Epidural Hematoma	1	0.00%
Epiglottitis	1	0.00%
Epistaxis (Non-Traumatic)	51	0.18%
ETOH	1,340	4.70%
ETOH Abuse	392	1.38%
Extremity Pain - Medical	136	0.48%
Eye Injury	46	0.16%
Facial Injuries	164	0.58%
Febrile Seizure	34	0.12%
Fever	246	0.86%
Flank / Groin Pain	55	0.19%
Flu Like Illness	452	1.59%
Foreign Body Airway Obstruction	6	0.02%
G.I. Bleed	15	0.05%
Gastroenteritis	10	0.04%
GCS <15	1	0.00%
General Malaise	37	0.13%
GI Blood-Emesis (578.0)	10	0.04%
GI Blood-Feces (578.1)	18	0.06%
GI Bowel Changes (787.99)	6	0.02%
GI Dehydration c N/V/D (787.01)	1	0.00%
GI-Nausea & Vomiting (787.01)	123	0.43%
GI-Nausea ONLY (787.02)	19	0.07%
GI-Vomiting ONLY (787.03)	22	0.08%
GI/GU	33	0.12%
GU-Urinary Pain (788.1)	36	0.13%
GU-Urinary Retention (788.20)	11	0.04%
Gun Shot Wound/Open Wound	37	0.13%
Head Injury	305	1.07%
Head Injury – Open Scalp	44	0.15%
Headache	294	1.03%
Heat Exhaustion/Stroke	10	0.04%
Hemodialysis	3	0.01%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Hemorrhage - Non-Traumatic	39	0.14%
Hemorrhage - Traumatic	36	0.13%
Hypertension	215	0.75%
Hypotension	69	0.24%
Hypothermia	7	0.02%
Hypovolemia/Shock	1	0.00%
Hypoxia	16	0.06%
Inhalation Injury (Toxic Gas)	5	0.02%
Laceration	405	1.42%
Medical Legal Transport	16	0.06%
Medication Reaction	62	0.22%
Meningitis	9	0.03%
Metabolic Disorder	1	0.00%
Migraine	26	0.09%
Myocardial Infarction, rule out	2	0.01%
Nausea/Vomiting (Unknown Etiology)	293	1.03%
Near Syncope	62	0.22%
Newborn in Distress	3	0.01%
No Apparent Illness/Injury	349	1.23%
Normal Newborn	4	0.01%
Not Applicable	30	0.11%
Not Available	3	0.01%
Not Known	30	0.11%
OB/Delivery	86	0.30%
OB/GYN-Vag Disch. (623.5)	61	0.21%
Obvious Death	114	0.40%
Other	764	2.68%
Other - Medical	721	2.53%
Other - Trauma	183	0.64%
Other Abdominal/GI Problem	9	0.03%
Other Airway Problem	23	0.08%
Other Cardiovascular Problem	9	0.03%
Other CNS Problem	9	0.03%
Other Endocrine/Metabolic Problem	2	0.01%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Other G.I. Symptoms	6	0.02%
Other GU Problems	10	0.04%
Other Illness/Injury	63	0.22%
Other OB/Gyn	49	0.17%
Overdose - Drug / Medication	490	1.72%
Overdose - ETOH	13	0.05%
Overdose - Inhalant	8	0.03%
Pain	2,265	7.95%
Pain - Chest (Non-Cardiac)	72	0.25%
Pain-Medical Neck (723.1)	14	0.05%
Palpitations	62	0.22%
Patient Assist Only	2	0.01%
Pneumonia	28	0.10%
Pneumothorax	3	0.01%
Poisoning/Drug Ingestion	17	0.06%
Pre-Term Labor	7	0.02%
Pregnancy/OB Delivery	55	0.19%
Prematurity	2	0.01%
Pulmonary Embolism	3	0.01%
Pulmonary Hemorrhage	1	0.00%
Reactive Airway Disease	1	0.00%
Rectal Bleeding	12	0.04%
Renal Failure	9	0.03%
Respiratory Arrest	11	0.04%
Respiratory Distress	543	1.91%
Respiratory Distress - Bronchospasm	2	0.01%
Respiratory Distress - Pulmonary Edema	9	0.03%
Respiratory Distress - without Bronchospasm	4	0.01%
Respiratory Failure	2	0.01%
Rib Fracture	6	0.02%
Seizure	696	2.44%
Sepsis	2	0.01%
Sexual Assault/Rape	19	0.07%
Shingles	3	0.01%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Sickle Cell Crisis	12	0.04%
Smoke Inhalation	6	0.02%
SOP # 210 Carbon Monoxide Exposure	3	0.01%
Sprain / Strain	20	0.07%
Status Epilepticus	1	0.00%
STEMI	6	0.02%
Stings/Venomous Bites	2	0.01%
Strep Pharyngitis	2	0.01%
Stroke/CVA	142	0.50%
Substance Abuse-Withdrawal Drugs (292.9)	22	0.08%
Substance Abuse-Withdrawl ETOH (291.81/305.00)	9	0.03%
Substance/Drug Abuse	56	0.20%
Suspected Fracture: non – displaced	1	0.00%
Syncope/Fainting	476	1.67%
Testicular Torsion	2	0.01%
TIA (Transient Ischemic Attack)	14	0.05%
Tonsillitis	2	0.01%
Tracheal Injuries	1	0.00%
TRAUMA MAJOR - Extremities	36	0.13%
TRAUMA MAJOR - Head/Neck	50	0.18%
TRAUMA MAJOR - Torso	41	0.14%
Trauma Minor - Head/Neck (959.8/959.01)	594	2.09%
Trauma Minor - Torso (959.8/922.9)	253	0.89%
Trauma Minor-Extremities (959.8/924.9)	542	1.90%
Traumatic Cardiac Arrest	2	0.01%
Traumatic Injury	85	0.30%
Traumatic Injury - Abdomen	9	0.03%
Traumatic Injury - Burn	1	0.00%
Traumatic Injury - C-Spine	16	0.06%
Traumatic Injury - Chest	14	0.05%
Traumatic Injury - Multisystem	3	0.01%
Traumatic Injury - Spinal	25	0.09%
Unconscious	195	0.68%
Under Influence Not Altered	289	1.01%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Unknown Problem	74	0.26%
Vaginal Hemorrhage	38	0.13%
Vehicle Accident - No Injury	15	0.05%
Vertigo	38	0.13%
Weakness	811	2.85%
Unknown	<u>2,925</u>	<u>10.27%</u>
Total	28,485	100.00%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Runs by Response Disposition

Response Disposition	# of Times	% of Times
Cancelled	1,752	6.15%
Dead at Scene	161	0.57%
Evaluated & Alternate Transport - Private Ambulance (No Treatment)	12	0.04%
False Call / False Alarm	45	0.16%
No Patient Found	359	1.26%
No Treatment Required	65	0.23%
Patient Refused Care	1,054	3.70%
Public Assist	192	0.67%
Standby Only - No Patient Contacts	445	1.56%
Treated and Refused Transport	546	1.92%
Treated, Transported by EMS (ALS)	12,712	44.63%
Treated, Transported by EMS (BLS)	11,079	38.89%
Unable to Locate Patient/Scene	57	0.20%
Unknown	6	0.02%
Total	28,485	100.00%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Runs by Dispatch Reason

Dispatch Reason	# of Times	% of Times
911 Hang-Up	14	0.05%
Abdominal Pain	1,656	5.81%
Airway obstruction	11	0.04%
Allergies	75	0.26%
Altered Mental Status	627	2.20%
Anaphylactic Reaction	151	0.53%
Animal Bite	36	0.13%
Apnea	8	0.03%
Apneic Episode	2	0.01%
Appendicitis	2	0.01%
Aspiration	4	0.01%
Assault	696	2.44%
Assault - Sexual	22	0.08%
Assist Other Agency	7	0.02%
Asthma Exacerbation	125	0.44%
Auto vs. Pedestrian	116	0.41%
Back Pain (Non-Traumatic/Non-Recent Trauma)	343	1.20%
Bleeding	484	1.70%
Bowel Obstruction	8	0.03%
Bradycardia	5	0.02%
Bronchiolitis	6	0.02%
Burns	55	0.19%
Cardiac Arrest	27	0.09%
Cardiac Arrest - Possible DOA	34	0.12%
Cardiac Dysrhythmia	76	0.27%
Chest Pain	2,166	7.60%
CHF	8	0.03%
Choking	79	0.28%
Chronic Illness/Medical Condition	31	0.11%
Chronic Lung Disease	5	0.02%

PROVIDENCE FIRE DEPARTMENT**2015 EMS DIVISION**

CO Poisoning/Hazmat	17	0.06%
Croup	2	0.01%
Cyanosis	3	0.01%
Dehydration	70	0.25%
Diabetic Problem	470	1.65%
Difficulty Breathing	2,220	7.79%
DKA	3	0.01%
Drowning	1	0.00%
Electrocution	4	0.01%
Epistaxis (Nosebleed)	51	0.18%
ETOH	1,736	6.09%
Eye Problem / Injury	38	0.13%
Fall Victim	1,669	5.86%
Fever	239	0.84%
Fire Standby	349	1.23%
Foreign Body Airway Obstruction	2	0.01%
Fracture	71	0.25%
Gastroenteritis	5	0.02%
General Fire Department Call	18	0.06%
GI Bleed	25	0.09%
Gunshot	31	0.11%
Hanging	6	0.02%
Hazardous Materials Incident	1	0.00%
HAZMAT Standby	8	0.03%
Head Injury	154	0.54%
Headache	207	0.73%
Heart Problems	36	0.13%
Heat/Cold Exposure	14	0.05%
Hemorrhage/Laceration	44	0.15%
Hyperglycemia	22	0.08%
Hypertension	231	0.81%
Hypoglycemia	36	0.13%
Hypotension	84	0.29%
Hypothermia	6	0.02%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Hypoxia	7	0.02%
Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)	7	0.02%
Ingestion/Poisoning	23	0.08%
Intercept	2	0.01%
Invalid Assist/Lifting Assist	3	0.01%
Machine/equipment Injury	6	0.02%
MCI (Multiple Casualty Incident)	1	0.00%
Medical Alarm	52	0.18%
Medical Evaluation/Blood Draw/UA	54	0.19%
Medical Transport	72	0.25%
Medication Reaction (Not Allergic)	82	0.29%
Meningitis	2	0.01%
Motor Vehicle Accident	2,296	8.06%
Motorcycle Collision	62	0.22%
Mutual Aid-Medical	13	0.05%
Nausea/Vomiting	502	1.76%
Near-Drowning	1	0.00%
Not Applicable	2	0.01%
Other	1,644	5.77%
Overdose	559	1.96%
Pain	1,206	4.23%
Pandemic/Epidemic/Outbreak (Officially Enacted Triage)	1	0.00%
Pediatric Fever	3	0.01%
Penetrating Wounds	16	0.06%
Person ILL	479	1.68%
Pneumonia	6	0.02%
Pregnancy/Childbirth	249	0.87%
Prematurity	18	0.06%
Psychiatric Problems	1,067	3.75%
Public Service	14	0.05%
Respiratory Arrest	11	0.04%
Respiratory Distress	71	0.25%
Respiratory Failure	1	0.00%

PROVIDENCE FIRE DEPARTMENT**2015 EMS DIVISION**

Seizure/Convulsions	1,029	3.61%
Sickle Cell Crisis	19	0.07%
Soft Palette Injury	1	0.00%
Stab/Gunshot Wound	50	0.18%
Stabbing	91	0.32%
Standby	12	0.04%
Sting/Envenomation	1	0.00%
Stroke/CVA	304	1.07%
Structure Fire	119	0.42%
Suicide Threat/Attempt	283	0.99%
Supraventricular Tachycardia	9	0.03%
Syncopal Episode	426	1.50%
Tachycardia	45	0.16%
Tachypnea	1	0.00%
Testicular Torsion	1	0.00%
Traumatic Injury	75	0.26%
Unconscious/Fainting	315	1.11%
Unknown Problem/Man Down	1,373	4.82%
Unresponsive	542	1.90%
Urinary problem	44	0.15%
Walkin (EMS Related)	16	0.06%
Water Rescue	6	0.02%
Welfare Check	101	0.35%
Unknown	338	1.19%
Total	28,485	100.00%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Runs by Cause of Injury

Cause of Injury	# of Runs	% of Runs
Animal	18	0.06%
Assault	509	1.79%
Athletic or Sports Related Injury	85	0.30%
ATV Rider	1	0.00%
Behavioral Problems	26	0.09%
Bicycle Accident	68	0.24%
Bites	24	0.08%
Caught in/between Objects	23	0.08%
Chemical Burns	3	0.01%
Child Battering	2	0.01%
Choking	3	0.01%
Cut/Pierce	90	0.32%
Dehydration	1	0.00%
Drowning	1	0.00%
Drug Poisoning	1	0.00%
Electrocution (Non-Lightning)	1	0.00%
ETOH - Ingestion	14	0.05%
ETOH - Suspected	8	0.03%
Excessive Cold	8	0.03%
Excessive Heat	2	0.01%
Explosion	2	0.01%
Fall from Bed	75	0.26%
Fall from Seated Position	144	0.51%
Fall from Standing Position	1,325	4.65%
Falls	154	0.54%
Fever	1	0.00%
Fire and Flames	5	0.02%
Fire/Flame Burns	11	0.04%
Firearm Assault	43	0.15%
Firearm Injury (Accidental)	1	0.00%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Firearm Self Inflicted	4	0.01%
Foreign body entering eye/orifice	9	0.03%
Hanging	6	0.02%
Hot Object/Substance	9	0.03%
Housing/Dangerous Condition	4	0.01%
Machinery Accidents	10	0.04%
Medical Problem - Acute	2	0.01%
Medical Problem - Chronic	4	0.01%
Motor Vehicle Non-Traffic Accident	54	0.19%
Motor Vehicle Traffic Accident	1,293	4.54%
Motor Vehicle vs Pedestrian Accident	153	0.54%
Motorcycle accident	56	0.20%
Motorcycle Accident (E81X.1)	4	0.01%
Non-Motorized Vehicle Accident (E848.0)	2	0.01%
Not Applicable	16	0.06%
Not Available	8	0.03%
Not Known	58	0.20%
Not Recorded	4	0.01%
Not Reporting	1	0.00%
OB/Gyn	1	0.00%
Other Injury	160	0.56%
Overexertion	51	0.18%
Pedestrian Traffic Accident	29	0.10%
Rodeo/Mounted Rider Injury	1	0.00%
Seizure - Suspected	9	0.03%
Seizure - Witnessed	27	0.09%
Sexual Assault	10	0.04%
Skateboard/Scooter/Skating Accident	5	0.02%
Smoke Inhalation	3	0.01%
Stabbing/Cutting Accidental (E986.0)	33	0.12%
Stabbing/Cutting Assault	81	0.28%
Strike by Blunt/Thrown Object	11	0.04%
Struck by Blunt/Thrown Object (E968.2)	17	0.06%
Struck by or Against	92	0.32%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Suicide Attempt	36	0.13%
Suspected Domestic Violence	4	0.01%
Syncope	30	0.11%
Thermal Burns	10	0.04%
Unarmed Fight/Brawl	2	0.01%
Unknown	<u>23,527</u>	<u>82.59%</u>
Total	28,485	100.00%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Procedure Administered

Procedure Name	#	%
12 Lead ECG-Obtain	980	3.44%
12 Lead ECG-Transmitted	475	1.67%
Airway - Intubation Confirm Lung Field Auscultation	16	0.06%
Airway - Intubation Confirm Waveform Capnography	7	0.02%
Airway - Manual	13	0.05%
Airway Insert / Monitoring	3	0.01%
Airway-Bagged (via BVMask)	135	0.47%
Airway-Bagged (via tube)	7	0.02%
Airway-Cleared, Opened, or Heimlich	6	0.02%
Airway-Endotracheal Intubation	18	0.06%
Airway-EOA/EGTA	2	0.01%
Airway-Foreign Body Removal	2	0.01%
Airway-Intubation Confirm Colorimetric ET _{CO} 2	1	0.00%
Airway-Nasopharyngeal	6	0.02%
Airway-Nebulizer Treatment	93	0.33%
Airway-Oropharyngeal	77	0.27%
Airway-ResQPump	1	0.00%
Airway-Suctioning	37	0.13%
Airway-Verification	50	0.18%
Assessment-Adult	4,780	16.78%
Assessment-Neonatal	7	0.02%
Assessment-Pediatric	338	1.19%
Bleeding/Hemorrhage Control	158	0.55%
Blood Glucose Analysis	7,362	25.85%
Blood Pressure	8,348	29.31%
Burn Care	11	0.04%
Capnography	6	0.02%
Carbon Monoxide Monitoring Device	9	0.03%
Cardiac Monitor	5,436	19.08%
Childbirth	5	0.02%
Compression Bandage	24	0.08%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Contact Medical Control	987	3.46%
CPR - Citizen (trained)	1	0.00%
CPR-Hold	3	0.01%
CPR-Start Compressions and Ventilations	91	0.32%
CPR-Start Compressions only without Ventilation	12	0.04%
CPR-Start Rescue Breathing without Compressions	26	0.09%
CPR-Stop	6	0.02%
Cutting of the Umbilical Cord	1	0.00%
Defibrillation-Automated (AED)	16	0.06%
Defibrillation-Manual	14	0.05%
Defibrillation-Placement for Monitoring/Analysis	35	0.12%
Drying of Child	3	0.01%
Extrication	5	0.02%
Fluid Challenge	8	0.03%
Helmet Removal	3	0.01%
Hyperventilate	1	0.00%
Ice Pack Application	180	0.63%
Injections-SQ/IM	48	0.17%
Isolation Procedures	1	0.00%
IV Access Extremity - NS 250cc tko	546	1.92%
Joint Reduction/Relocation	1	0.00%
MAST	1	0.00%
ME - Medication Administered	1,140	4.00%
Obtain Patient History	4,247	14.91%
Other	15	0.05%
Patient Cooling (Cold Pack, etc.)	14	0.05%
Pediatric-Specific Transport Securing Device	2	0.01%
Pulse Oximetry	8,254	28.98%
Radio Report to ER	1,689	5.93%
Restraints-Physical	8	0.03%
Specialty Center Activation-Adult Trauma	59	0.21%
Specialty Center Activation-Cardiac Arrest	20	0.07%
Specialty Center Activation-Pediatric Trauma	3	0.01%
Specialty Center Activation-STEMI	9	0.03%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Specialty Center Activation-Stroke	51	0.18%
Spinal Assessment - Deficits Noted	7	0.02%
Spinal Assessment - No Deficits Noted	248	0.87%
Spinal Immobilization	89	0.31%
Spinal Immobilization - K.E.D.	2	0.01%
Spinal Immobilization - Long Back Board	1,602	5.62%
Spinal Immobilization - Rigid Cervical Collar	1,765	6.20%
Spinal Immobilization - Standing Take-Down	41	0.14%
Spinal Immobilization – Pediatric	12	0.04%
Splinting	94	0.33%
Splinting-Traction	3	0.01%
Stair Chair	222	0.78%
Stimulation of Child	1	0.00%
Stokes Basket	3	0.01%
Temperature Measurement	757	2.66%
Vagal Maneuver-Carotid Massage	2	0.01%
Valsalva Maneuver	3	0.01%
Venous Access-Blood Draw	4	0.01%
Venous Access-Extremity	6,562	23.04%
Venous Access-Intraosseous Adult	27	0.09%
Venous Access-Intraosseous Pediatric	3	0.01%
Venous Access-Saline Lock	681	2.39%
Ventilator-Monitoring	1	0.00%
Warming	14	0.05%
Wound Care	333	1.17%
Wound Care - Abdominal Dressing	3	0.01%
Wound Care - Burn Care	5	0.02%
Wound Care - Eye Irrigation	1	0.00%
Wound Care - Pressure Dressing	84	0.29%
Wound Care - Vaseline Gauze	2	0.01%
Wound Care-Irrigation	23	0.08%
Wound Care-Tourniquet	5	0.02%
Wound Care-Trauma Pack	6	0.02%
None	13,347	46.86%

PROVIDENCE FIRE DEPARTMENT

2015 EMS DIVISION

Medication Administered

Medication Name	#	%
Acetaminophen	37	0.13%
Activated Charcoal w/ Sorbitol	3	0.01%
Adenosine	19	0.07%
Adenosine 12 mg	7	0.02%
Albuterol Sulfate	206	0.72%
Amiodorone (Cordarone)	3	0.01%
Aspirin (ASA)	970	3.41%
Atropine Sulfate	13	0.05%
Atrovent (Ipratropium Bromide)	21	0.07%
Dextrose 25% (D25)	3	0.01%
Dextrose 50% (D50)	113	0.40%
Diphenhydramine (Benadryl)	87	0.31%
DuoNeb (0.5 Atrovent/3.0 Albuterol)	528	1.85%
Epinephrine 1:10,000	91	0.32%
Epinephrine 1:1000	47	0.16%
Furosemide (Lasix)	5	0.02%
Glucagon	52	0.18%
Glucose (Oral)	129	0.45%
Lactated Ringers	13	0.05%
Lidocaine	2	0.01%
Lidocaine 2% (10ml injection)	2	0.01%
Midazolam (Versed)	20	0.07%
Morphine Sulfate	142	0.50%
Naloxone (Narcan)	467	1.64%
Nitroglycerin	158	0.55%
Nitroglycerin Tabs	575	2.02%
Normal Saline	2,984	10.48%
Normal Saline (Respiratory Use)	1	0.00%
Normal Saline-IV-250CC	17	0.06%
Ondansetron (Zofran)	147	0.52%
Oxygen (non-rebreather mask)	1,368	4.80%

PROVIDENCE FIRE DEPARTMENT**2015 EMS DIVISION**

Oxygen BVM	89	0.31%
Oxygen by Blow By	25	0.09%
Oxygen by Nasal Cannula	1,218	4.28%
Oxygen by Nebulizer	269	0.94%
Oxygen by Positive Pressure Device	52	0.18%
Sodium bicarbonate	1	0.00%
Sodium Bicarbonate 8.4% 10 ml	1	0.00%
Solu-Cortef (Hydrocortisone)	154	0.54%
Thiamine	31	0.11%
Wasted - Midazolam (Versed)	1	0.00%
Wasted - Morphine Sulfate	2	0.01%
None	22,115	77.64%


**PROVIDENCE FIRE DEPARTMENT
2015 EMS DIVISION**

Transports to Area Hospitals

Destination	# of Runs	% of Runs
Hasbro Children's Hospital	1,744	6.12%
Hospital Not Listed	3	0.01%
Kent Hospital	41	0.14%
Memorial Hospital of Rhode Island	55	0.19%
Miriam Hospital	3,183	11.17%
Not Applicable	34	0.12%
Not Recorded	10	0.04%
Rhode Island Hospital	14,758	51.81%
Roger Williams Medical Center	2,660	9.34%
St. Joseph's Hospital -- Fatima Unit	532	1.87%
VA Medical Center	245	0.86%
Women & Infants Hospital	604	2.12%
No Destination	<u>4,616</u>	<u>16.21%</u>
Total	28,485	100.00%

Providence Fire Department					
2012 to 2015 ALS & BLS Rescue Run Breakdown Worksheet					
	2012	2013	2014 (*)	2015	Totals
Advance Life Support (ALS)	21,020	20,941	20,124	20,603	82,688
Jumper	12	15	13	16	56
Industrial Accidents	12	13	13	14	52
Tipover	97	108	94	151	450
Water Rescue	34	37	22	25	118
Auto Accidents	<u>2,034</u>	<u>1,833</u>	<u>1,948</u>	<u>2,205</u>	<u>8,020</u>
Subtotal ALS (#1)	23,209	22,947	22,214	23,014	91,384
Basic Life Support (BLS)	9,022	4,297	5,203	6,725	25,247
Total ALS & BLS Runs	<u>32,231</u>	<u>27,244</u>	<u>27,417</u>	<u>29,739</u>	<u>116,631</u>
Note #1: These call types are classified as ALS.					
Mutual Aid into Providence					
	2012	2013	2014 (*)	2015	Totals
Mutual Aid Rescue Responses into Providence	2,432	1,061	915	990	5,398
Mutual Aid Fire Responses into Providence	<u>4</u>	<u>5</u>	<u>8</u>	<u>9</u>	<u>26</u>
	2,436	1,066	923	999	5,424
Mutual Aid provided by the Providence Fire Department					
	2012	2013	2014 (*)	2015	Totals
Mutual Aid Rescue Responses out of Providence	291	338	383	354	1,366
Mutual Aid Fire Responses out of Providence	<u>116</u>	<u>5</u>	<u>8</u>	<u>144</u>	<u>273</u>
	407	343	391	498	1,639
(*) Rescue 7 began service in July 2014.					
Data Source: Providence Fire Department CAD System					

PROVIDENCE FIRE DEPARTMENT
DIVISION OF TRAINING



2015 ANNUAL REPORT

STEVEN M. PARÉ
Commissioner of Public Safety
Acting Chief of Department

JORGE O. ELORZA
Mayor



PROVIDENCE FIRE DEPARTMENT

Division of Training and Professional Development

274 Reservoir Avenue

Providence, RI 02907



Steven M. Paré
Commissioner of Public Safety

Scott G. Mello
Chief of Operations

Dennis A. Vecchiarino, Captain
Director of Training

2015 TRAINING SUMMARY BY MONTH

The Division of Training continues to provide the highest quality training, certification, and recertification services to the members of the Providence Fire Department. All fire department members continue with monthly and annual training which is provide at the Division of Training or in the Company's Station. The Division of Training has continued to build relationships with other agencies (RI State Fire Academy), as well as local and regional fire departments (Warwick Fire Dept., Boston Fire Dept.). Our goal is to provide our members with the skills needed to promote life safety, protect property, and stabilize emergency scenes.

The following is a list of the training activities which took place during calendar 2015.

January

- EMT-B and EMT-C recertification
- Prepare for reorganization of files and transition to electronic recordkeeping
- Develop personnel computer database
- Mayday Procedures
- Ice Rescue Operations

February

- EMT-B and EMT-C recertification
- Held Management Training Seminar in partnership with Providence College School of Business
- Prepare for reorganization of files and transition to electronic recordkeeping
- Develop computerized promotional matrices
- Prepare for Rescue LT exam
- Prepare monthly training topics
- Frisbuoy TB
- SOP Committee
- T/O establish relationship with RI State Fire Academy

March

- EMT-B and EMT-C recertification
- Reorganize DOT personnel files in basement
- Develop personnel computer database
- Develop computerized promotional matrices
- Develop recruitment database
- Draft funding request to Champlin Foundations for training facility and resources

- Mayday Procedures
- Apparatus Safety
- Winter Driving tips
- EMS (Anaphylaxis & Severe Bee Sting Allergy)
- SCUBA Documentation
- Prepare for Rescue LT exam
- Prepare monthly training topics
- SOP Committee
- EMS Quality Improvement Committee

April

- EMT-B and EMT-C recertification
- Reorganize DOT personnel files in basement
- Enter yellow personnel cards into computer database
- Develop computerized promotional matrices
- Develop recruitment database
- Submit funding request to Champlin Foundations for training facility and resources
- Rescue LT Promotional exam
- Radio drills with Fire Alarm
- Prepare monthly training topics
- Scott AirPak X3 TB
- Scott Air-Pak
- Begin fit-testing for new SCBAs funded through an Assistance to Firefighters Grant
- SOP Committee
- EMS Quality Improvement Committee
- Mayday Procedures
- EMS (PEA, Asystole)

May

- EMT-B and EMT-C recertification
- Reorganize DOT personnel files in basement
- Scan member's certifications into computer folders
- Reorganize photo archive in DOT hallway
- Establish video library, including converting VHS tapes to DVD discs
- Finalize computerized promotional matrices
- Finalize recruitment database
- Fire Lieutenant Promotional School
- Radio drills with Fire Alarm
- Prepare monthly training topics
- Scott Park Tracker TB
- Revise promotional test review process
- EMS Quality Improvement Committee
- Mayday Procedures
- Scott Air-Pak X3 CGA SCBA
- EMS (Stroke, Brain Injury)

June

- EMT-C recertification
- Reorganize DOT personnel files in basement
- Scan personnel files into member's computer folders
- Finalize computerized promotional matrices
- Finalize recruitment database
- Radio drills with Fire Alarm
- Prepare monthly training topics
- Leader PPV Fans TB
- Revise promotional test review process
- EMS Quality Improvement Committee
- Mayday Procedures
- Scott PAR-Tracker

July

- EMT-C recertification
- Reorganize DOT personnel files in basement
- Scan training logs into member's computer folder
- NFPA 1041 & NFPA 1021 Final Exams
- Obtained loaner hi-fidelity mannequin and operator training from Laerdal Medical
- Radio drills with Fire Alarm
- Prepare monthly training topics
- Prepare for transition electronic training log submission
- EMS Quality Improvement Committee
- Essentials (Ground Ladders)
- EMS (Drowning, Heat Cramps, Heat Exhaustion, Heat Stroke)

August

- EMT-C recertification
- Reorganize DOT personnel files in basement
- Finalize transition to electronic training log submission
- Develop Training Log quick reference sheet
- Prepare for Fire Captain Promotional Test
- Prepare for Dispatcher Lieutenant and Captain Promotional Test
- Radio drills with Fire Alarm
- Prepare monthly training topics
- EMS Quality Improvement Committee
- Essentials (Ground Ladders)
- EMS (Drowning, Heat Cramps, Heat Exhaustion, Heat Stroke)

September

- EMT-C recertification
- Reorganize DOT personnel files in basement
- Fire Captain Promotional Test

- Dispatcher Lieutenant and Captain Promotional Test
- Radio drills with Fire Alarm
- Prepare monthly training topics
- Submitted Fire Prevention Bureau internship proposal to Brown University
- EMS Quality Improvement Committee
- Mayday Procedures
- High Capacity Ventilation Fans
- EMS (CHF, COPD)

October

- EMT-C recertification
- Add Training Logs checklist to personnel computer database
- Prepare for Fire Captain promotional School
- Veterans Administration Training Benefits Audit
- Attended BullEx/Lion training demonstration at Fall River Fire Academy
- Radio drills with Fire Alarm
- Prepare monthly training topics
- EMS Quality Improvement Committee
- Mayday Procedures
- Operations at Structure Fires
- Large Diameter Hose
- EMS (Asystole, PEA)
- Hose Haul

November


- CPR recertification
- Tourniquet Training
- Fire Captain Promotional School
- Prepare for FEMA/AFG Grant Application
- Prepare monthly training topics
- Met with RI Medical Imaging re: MRI safety info for MRI Facility Response SOP
- Mayday
- EMS Protocol (ST – Elevation Myocardial Infarction)

December

- CPR recertification
- Tourniquet Training
- FEMA/AFG Grant Application
- Met with RI Dept of Health re: PFD EMS Training Center Accreditation
- Met with Providence After School Alliance (PASA) re: career day and future collaboration
- Start MRI Facility Response SOP
- Prepare for Fire Captain Promotional Test
- Visit Boston FD Division of Training re: drill tower and training ideas
- Visit Warwick FD Division of Training re: FEMA/AFG-funded drill tower
- EMS Quality Improvement Committee
- Mayday Procedures

- Oil Burner Emergencies
- EMS Protocol (Bradycardia)

PROVIDENCE FIRE DEPARTMENT FIRE PREVENTION DIVISION



2015 ANNUAL REPORT

STEVEN M. PARÉ
Commissioner of Public Safety
Acting Chief of Department

JORGE O. ELORZA
Mayor

STEVEN M. PARÉ
Commissioner of Public Safety
Acting Chief of Department



JORGE O. ELORZA
Mayor

PETER K. MCMICHAEL
Acting Fire Marshal

Department of Public Safety, Fire Department
"Building Pride in Providence"

Introduction

The Providence Fire Department's Fire Prevention Bureau is steadfast in its readiness to serve the Providence community and remains committed to addressing the needs of our community and the citizens we serve. The Fire Prevention Bureau continues to demonstrate its ability to be flexible while remaining focused on delivering our core services of fire investigations, plan review, annual inspections and public fire safety education. The Fire Prevention Bureau's process improvements and accomplishments for 2015 include:

- Increased hours of operation in the plan intake office to better serve and accommodate our customers.
- Combined fire inspector and building inspector meetings where the applicant can ask questions and have issues addressed before plans are submitted.
- Completed all plan reviews without incurring a backlog.
- Three members completed the prestigious International Association of Arson Investigators Training Program and became certified Fire Investigation Technicians.

Fire Investigations

In 2015, the Providence Fire Prevention Bureau conducted 268 fire investigations and classified 33 fires as incendiary in nature. The Arson Squad charged 18 suspects with arson. United States Attorney Peter F. Neronha commended the Arson Squad for its hard work in uncovering an Arson-for-Profit scheme in which the arsonist set fire to a multi-family dwelling that was occupied by a family with five young children.

Plan Review

The Fire Prevention Bureau finished the year without incurring a backlog in plan review, despite having a 16% increase in plan review submittals. 525 commercial plan reviews were submitted at the plan intake office at the Doorley Building. 371 residential plans were submitted and 197 tent permits were issued. The office hours at the plan intake center were extended by 30 minutes in the morning and in the afternoon to better accommodate our customers.

Commercial Plan Review

1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter
\$232,289.00	\$230,664.00	\$245,629.00	\$242,547.00
2015 Total = \$951,129.00			

Residential Plan Review

1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter
\$14,100.00	\$26,450.00	\$12,200.00	\$23,650.00
2015 Total = \$76,400.00			

Inspections and Permits

All fire code compliance inspections required by the Rhode Island Fire Safety Code were completed in 2015. The Fire Prevention Bureau completed 2,365 such inspections and approved 36 flame permits. The inspections and flame permits included:


- 39 public school inspections
- 38 private school inspections
- 44 auto body repair facilities
- 59 elderly and disabled apartment buildings
- 4 bed and breakfast establishments
- 43 places of worship
- 91 Nightclubs
- 239 food/liquor license inspections
- 50 mobile vendor inspections
- 81 entertainment license inspections
- 13 miscellaneous inspections
- 1,664 residential smoke and carbon monoxide inspections
- 36 flame permits were approved

Fees collected as a result of the inspections and permits were as follows:

2015	Smoke/Carbon	License	Mobile Vendor	Building Inspection	Tent Permit	Flame Permit
1 st Quarter	\$9,360.00	\$7,000.00	\$0.00	\$1,700.00	\$900.00	\$600.00
2 nd Quarter	\$13,925.00	\$6,000.00	\$1,300.00	\$1,800.00	\$13,400.00	\$400.00
3 rd Quarter	\$14,625.00	\$6,200.00	\$1,200.00	\$2,900.00	\$9,900.00	\$2,000.00
4 th Quarter	\$9,930.00	\$5,300.00	\$300.00	\$2,700.00	\$8,700.00	\$600.00
TOTALS	\$47,840.00	\$24,500.00	\$2,800.00	\$9,100.00	\$32,900.00	\$3,600.00


Fire Prevention Totals

- Smoke/Carbon
- License
- Mobile Vendor
- Building Inspection
- Tent Permit
- Flame Permit
- Residential
- Commercial



Total Fees collected by the Fire Prevention Bureau were \$1,148,269.00. All inspection fees are assessed in accordance with Rhode Island Fire Safety Code.

PROVIDENCE FIRE DEPARTMENT
BUREAU OF OPERATIONAL CONTROL



2015 ANNUAL REPORT

STEVEN M. PARÉ
Commissioner of Public Safety
Acting Chief of Department

JORGE O. ELORZA
Mayor

**PROVIDENCE FIRE DEPARTMENT
2015 ANNUAL RUN REPORT BY MONTH**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Auto Accident	176	170	158	170	187	181	191	171	197	215	195	194	2,205
Advanced Life Supp.	1,774	1,412	1,519	1,574	1,791	1,777	1,885	1,755	1,844	1,847	1,744	1,681	20,603
Auto In Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Boat Capsized	0	0	0	0	0	0	0	0	0	0	0	0	0
Basic Life Support	494	519	655	598	578	539	585	671	560	542	467	517	6,725
Bomb Threat	0	0	0	0	0	0	1	0	3	0	1	0	5
Bus Accident	0	0	0	0	0	0	0	0	0	0	0	0	0
Body In Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Cave In	0	0	0	0	0	0	0	0	0	0	0	0	0
Commercial Alarm	43	26	50	33	38	39	31	39	42	32	33	20	426
CO Leak	40	54	36	25	21	22	31	29	24	43	37	41	403
Elevator Emergency	21	22	23	23	20	15	19	25	24	18	21	14	245
Explosion	0	0	0	0	0	0	0	0	0	0	0	0	0
Fill In Box	0	0	0	0	0	0	0	0	0	0	0	0	0
Haz Mat	0	0	1	2	0	0	0	2	1	2	5	3	16
Industrial Accident	1	0	1	2	4	1	1	0	1	0	2	1	14
Jumper	0	1	0	0	1	2	3	0	2	4	1	2	16
Lockouts	32	38	38	35	44	30	26	22	29	14	18	18	344
Lockout in Auto	14	11	6	7	14	11	4	6	6	8	5	5	97
Master Boxes	259	291	226	230	207	224	244	258	229	313	232	239	2,952
Mutual Aid In- Fire	2	2	1	0	0	0	0	1	1	1	1	0	9
Mutual Aid Out-Fire	4	7	22	22	16	5	8	13	19	5	11	12	144
Mutual Aid In- Resc.	62	36	39	52	70	48	61	87	102	82	102	63	804
Mutual Aid Out-Resc.	41	41	39	29	33	21	29	20	26	17	31	27	354
Natural Gas Leak 1	3	2	4	0	4	3	5	3	1	3	4	7	39
Natural Gas Leak 2	34	29	40	32	25	15	18	27	16	25	31	30	322
Oil Spill	0	0	0	0	0	0	0	0	0	0	0	0	0
Relocations	0	0	0	0	0	0	0	0	0	0	0	0	0
Still Alarms	246	233	206	253	314	258	272	307	300	266	268	224	3,147
Still Boxes	50	54	71	52	68	37	49	50	46	54	50	56	637
Street Box 0700-2300	67	19	67	103	134	214	149	204	206	160	174	161	1,658
Street Box 2300-0700	14	7	7	21	14	22	26	33	31	5	14	21	215
Tipover	13	19	22	6	14	8	5	12	10	14	12	16	151
Water Emergency	57	74	24	8	6	9	14	7	6	7	8	7	227
Water Rescue	2	0	0	1	0	1	9	6	2	3	0	1	25
Total	3,449	3,067	3,255	3,278	3,603	3,482	3,666	3,748	3,728	3,680	3,467	3,360	41,783
TOTAL RUNS FOR 2015 = 41,783													

**BC James Taylor
Aide to Chief of Department
Providence Fire Department**

2015 2nd Alarm Fires

**10 Jan 2015 = 521 Allen's Avenue
19 Feb 2015 = 42 Norwich Avenue
3 Mar 2015 = 39 America Street
5 Mar 2015 = 30 Hagan Street
9 Mar 2015 = 498 Kinsley Avenue (5 Alarm)
7 Apr 2015 = 99 Chestnut Street
23 May 2015 = 128 Clarence Street
4 June 2015 = 460 Charles Street
6 July 2015 = 30 Hagan Street
13 July 2015 = 30 Portland Street
16 July 2015 = 25 Tobey Street
3 August 2015 = 106 Comstock Avenue
9 August 2015 = 101 Ford Street
1 October 2015 = 202 Althea Street
7 October 2015 = 250 Reservoir Avenue
15 October 2015 = 267 Potters Avenue
20 October 2015 = 200 Althea Street
24 October 2015 = 192 Oxford Street
12 November 2015 = 174 Wendell Street (3rd Alarm)
25 November 2015 = 41 Yale Avenue
29 November 2015 = 40 Westminster Street (3rd Alarm)
7 December 2015 = Carpenter & Courtland
23 December 2015 = 54 Greenwich Avenue (3rd Alarm)**

19 = 2nd Alarm Fires

3 = 3rd Alarm Fires

1 = 5th Alarm Fire

PROVIDENCE FIRE DEPARTMENT

2015 MUTUAL AID RESCUE RESPONSES INTO PROVIDENCE

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Attleboro	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Falls	0	0	0	1	0	0	0	2	2	0	4	3	12
Coventry	0	0	0	0	0	0	0	0	0	0	0	0	0
Cranston	17	9	10	13	12	9	13	14	24	24	17	19	181
East Providence	20	10	11	10	30	18	13	18	26	18	20	16	210
Johnston	2	0	2	4	2	0	1	5	0	5	3	0	24
Lincoln	3	7	3	1	1	0	2	1	3	1	5	3	30
North Providence	15	10	13	11	15	13	14	20	29	17	26	10	193
Pawtucket	18	12	12	13	16	21	19	31	24	23	25	6	220
Scituate	0	0	1	2	0	1	3	7	5	3	5	0	27
Seekonk	0	1	1	1	2	1	0	5	1	2	6	3	23
Smithfield	0	2	0	4	2	1	3	3	6	3	6	2	32
Warren	0	0	0	0	0	0	0	0	0	0	0	0	0
Warwick	5	2	0	1	2	2	4	5	3	5	5	4	38
West Warwick	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	80	53	53	61	82	66	72	111	123	101	122	66	990

PROVIDENCE FIRE DEPARTMENT

TOTAL 2015 CALLS FOR SERVICE BY APPARATUS AND BY MONTH

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Total
RESCUE 1	384	342	391	394	430	408	408	426	406	429	390	391	4,799
RESCUE 2	408	338	364	363	394	385	423	397	417	415	361	388	4,653
RESCUE 3	373	328	343	360	368	364	398	403	387	392	351	344	4,411
RESCUE 4	470	426	467	490	551	495	525	525	523	508	528	505	6,013
RESCUE 5	346	318	358	356	415	369	405	382	379	383	389	382	4,482
RESCUE 6	443	398	404	407	431	426	447	424	448	441	423	420	5,112
RESCUE 7	342	323	375	342	371	363	392	384	395	385	350	354	4,376
AIR SUPPLY 1	11	11	11	12	10	11	16	11	6	19	12	13	143
ENGINE 2	281	240	223	236	226	231	246	248	276	269	230	228	2,934
ENGINE 3	408	384	380	385	466	417	452	397	446	477	448	386	5,046
ENGINE 4	126	104	99	98	129	114	110	147	129	131	117	98	1,402
ENGINE 5	134	118	91	98	87	109	107	109	98	142	101	106	1,300
ENGINE 6	199	165	209	174	201	189	217	222	204	233	214	213	2,440
ENGINE 7	280	295	254	248	306	295	302	290	303	352	299	299	3,523
ENGINE 8	375	291	347	371	379	338	355	390	359	367	338	338	4,248
ENGINE 9	195	211	204	211	216	209	184	229	208	227	191	175	2,460
ENGINE 10	271	274	262	253	280	266	261	284	268	270	263	245	3,197
ENGINE 11	220	158	167	154	175	166	187	196	198	217	217	177	2,232
ENGINE 12	322	273	279	327	342	328	352	380	363	342	322	335	3,965
ENGINE 13	185	184	170	179	203	185	211	221	228	220	219	193	2,398
ENGINE 14	308	286	225	272	276	296	339	261	270	314	261	291	3,399
ENGINE 15	275	243	265	263	296	321	322	315	335	322	310	311	3,578
SPECIAL HAZARDS 1	195	198	202	154	179	127	135	168	144	174	165	172	2,013
TOWER LADDER 1	200	202	210	174	213	179	180	195	155	217	207	180	2,312
TOWER LADDER 2	167	155	156	147	147	129	140	147	135	144	144	148	1,759
LADDER 3	123	117	112	122	123	97	119	123	120	109	105	120	1,390
LADDER 4	169	176	146	153	137	154	172	150	168	215	165	150	1,955
LADDER 5	123	146	155	128	118	102	103	115	125	118	106	116	1,455
LADDER 6	160	143	177	144	134	126	153	149	113	155	126	150	1,730
LADDER 7	114	120	92	92	112	94	94	104	112	134	107	103	1,278
LADDER 8	103	125	114	104	106	108	96	113	109	138	109	94	1,319
DIVISION 1	233	228	241	214	206	183	215	238	195	243	227	220	2,643
BATTALION 3	153	195	146	151	148	130	148	155	144	194	140	170	1,874
C56A	8	15	15	16	13	9	13	9	6	21	11	15	151
C56B	2	4	10	7	8	8	2	7	7	7	8	2	72
C56C	16	12	2	5	4	6	9	4	4	9	8	7	86

PROVIDENCE FIRE DEPARTMENT

TOTAL 2015 CALLS FOR SERVICE BY APPARATUS AND BY MONTH

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Total
C56D	5	13	4	4	5	4	6	0	0	1	0	0	42
C79A	0	5	2	0	2	4	8	2	9	5	3	2	42
C79B	4	3	2	0	0	4	3	1	2	2	1	2	24
MARINE 1	0	0	0	0	0	2	2	0	1	0	0	0	5
SPECIAL RESPONSE UNIT 1	1	9	4	1	0	3	0	2	2	2	2	3	29

THESE FIGURES ARE FROM THE COMPUTER AIDED DISPATCH SYSTEM.

Providence Fire Department
Bureau of Operational Control
As of December 31, 2015

1,738 = Total Master Boxes
705 = Total Active Street Boxes
(121) = Total Inactive Street Boxes
2,322 = Total Master and Street Boxes

75 Master Boxes installed in 2008
59 Master Boxes installed in 2009
41 Master Boxes installed in 2010
59 Master Boxes installed in 2011
17 Master Boxes installed in 2012
20 Master Boxes installed in 2013
52 Master Boxes installed in 2014
40 Master Boxes installed in 2015

State E-911 Call Summary

1. The Rhode Island E - 911 Call Center received 514,926 calls in 2015.
2. City of Providence call transfers (*) are as follows:

Providence Police = 52,760 transfers
Providence Fire = 4,522 transfers
Providence Rescue = 28,553 transfers

(*) These figures do not take into consideration the calls that were received on the 7 digit lines.